



## Product Family Miller H-Design® BodyFit harness

### A NEW FEELING OF SAFETY AT HEIGHT!

This new harness range dedicated to the utilities sector, which due to its exclusive and innovative H shaped harness, rotating and vertical adjustment waist belt, provides a uniquely comfortable solution and a perfect fit to all body shapes.

The new range is available with two easy-to-access front anchor point options: two large, thin webbing loops, or a patented sternal D-ring. Mating buckles or automatic buckles can also be selected.

**Honeywell**

### Product Numbers & Ordering Information

Product Numbers	Details
	<b>Miller H-Design® BodyFit mating 2loops S1</b> H-D rotative belt harness provided with mating buckles and 2 sternal webbing loops. Size 1
	<b>Miller H-Design® BodyFit mating 2loops S2</b> H-D rotative belt harness provided with mating buckles and 2 sternal webbing loops. Size 2
	<b>Miller H-Design® BodyFit mating 2loops S3</b> H-D rotative belt harness provided with mating buckles and 2 sternal webbing loops. Size 3
	<b>Miller H-Design® BodyFit mating 2D S1</b> H-D rotative belt harness provided with mating buckles and a front D-ring. Size 1
	<b>Miller H-Design® BodyFit mating 2D S2</b> H-D rotative belt harness provided with mating buckles and a front D-ring. Size 2
	<b>Miller H-Design® BodyFit mating 2D S3</b> H-D rotative belt harness provided with mating buckles and a front D-ring. Size 3

	1033536	<b>Miller H-Design® BodyFit auto 2loops S1</b> H-D rotative belt harness provided with automatic buckles and 2 sternal webbing loops. Size 1
	1033537	<b>Miller H-Design® BodyFit auto 2loops S2</b> H-D rotative belt harness provided with automatic buckles and 2 sternal webbing loops. Size 2
	1033538	<b>Miller H-Design® BodyFit auto 2loops S3</b> H-D rotative belt harness provided with automatic buckles and 2 sternal webbing loops. Size 3
	1033540	<b>Miller H-Design® BodyFit auto 2D S1</b> H-D rotative belt harness provided with automatic buckles and a front D-ring. Size 1
	1033541	<b>Miller H-Design® BodyFit auto 2D S2</b> H-D rotative belt harness provided with automatic buckles and a front D-ring. Size 2
	1033542	<b>Miller H-Design® BodyFit auto 2D S3</b> H-D rotative belt harness provided with automatic buckles and a front D-ring. Size 3

## Overview

### Key Features

#### Benefits:

#### COMFORT AND FREEDOM OF MOVEMENT

Exclusive H-architecture of the harness, thanks to its ergonomically placed webbing, providing a total freedom of movement for the arms.

Horizontal leg straps preventing uncomfortable friction on the legs and on the groin (vs traditional leg straps) increasing comfort for the user during work.

Stretch webbing on the shoulders to provide even more comfort.

Rotating and unique patented vertically adjustable belt with breathable padding.

#### EASY AND QUICK ADJUSTABILITY & CONNECTION

Easy to access and adjust buckles: intuitive movement up to down.

Very accessible anchor points: bended position back D-ring.

Adjustable chest strap for a perfect fit in height and width.

Adjustable leg straps.

Easy Front strap clip.

Unique patented sternal D-ring with automatic centuring in case of fall or front webbing loops.

#### GREATER SAFETY AND EASIER TRACEABILITY

Fluo green textile, high visible stitching, front and back fall indicators to facilitate visual inspection before working.

Labels improving yearly checking follow-up for a better traceability.

Water-repellent and stain free webbing for greater product durability.

#### Recommended Industries/Use

- Utilities

#### Hazards

- Fall from height

#### Regulations

- EN 361 - Fall arrest harness
- EN 358 - work positioning

### **Warranty Information**

Our state of the art equipment provides the critical tool for worker protection, combining mobility with unsurpassed comfort.

At our ISO 9001 certified manufacturing facilities in Europe, we ensure that every Miller product is made in accordance with the standards and meets your exact requirements.

### **Photos & Images**

unnamed (3)-main

<http://www.honeywellsafety.com/assets/0/324/cca529fe-4ea6-456b-9844-6aa416e0a17c.jpg>

unnamed (4)-main

<http://www.honeywellsafety.com/assets/0/324/0db8c39e-fbc2-4ebe-9324-c634c3e627f1.jpg>

### **Certifications**

 1033528 to 1033530 CE certificate

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Secured/Fall\\_Protection/Full\\_Body\\_Harness/4294992929/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Fall_Protection/Full_Body_Harness/4294992929/1033.aspx)

 1033532 to 1033534 CE certificate

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Secured/Fall\\_Protection/Full\\_Body\\_Harness/4294992930/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Fall_Protection/Full_Body_Harness/4294992930/1033.aspx)

 1033536 to 1033538 CE certificate

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Secured/Fall\\_Protection/Full\\_Body\\_Harness/4294992931/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Fall_Protection/Full_Body_Harness/4294992931/1033.aspx)

 1033540 to 1033541 CE certificate

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Secured/Fall\\_Protection/Full\\_Body\\_Harness/4294992932/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Fall_Protection/Full_Body_Harness/4294992932/1033.aspx)

### **Literature & Documents**

NT90024118 IND B

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/4294993506/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/4294993506/1033.aspx)

1033528 to 1033534 detailed information

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Full\\_Body\\_Harness/4294992938/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Full_Body_Harness/4294992938/1033.aspx)

Technical details for the H-D BodyFit harness range.

1033536 to 1033542 detailed information

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Fall\\_Protection/Full\\_Body\\_Harness/4294992939/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Full_Body_Harness/4294992939/1033.aspx)

Technical details for the H-D BodyFit Harness Range.

### **Training & Proper Use**

Training is an essential part of any safety program. The employer is responsible for ensuring that any person working at height is fully informed regarding the correct use of PPE and systems.

### **Technical Support**

Miller Techniserv

**Northern and Central Europe**


Phone: +49 (0) 9281/8302-205

Email: techniservnorth.hsp@honeywell.com

**Southern Europe, UK, Ireland**

Phone: +33 (0)2 48 52 40 42

Email: techniserv.hsp@honeywell.com



© Honeywell International Inc.