

2821

Lamps with glass wedge bases for cars



Product benefits

- Wide product range
- Reliable quality

Product features

- Original spare parts

Technical data


Electrical data

Power input	3 W
Nominal wattage	3 W
Nominal voltage	12 V
Power input tolerance	±10 %
Test voltage	13.5 V

Light technical data

Luminous flux	22 lm
Luminous flux tolerance	±30 %

Dimensions & weight



Product line drawing

Base

Length	26.8 mm
Diameter	10.3 mm
Product weight	1.34 g

Lifespan

Lifespan B3	1300 h
Lifespan Tc	4000 h

Additional product data

Base (standard designation)	W2.1x9.5d
-----------------------------	-----------

Certificates & standards

Product datasheet

ECE category	W3W
--------------	-----

Country specific categorizations

Order reference	2821
-----------------	------

Country specific information

Product code	METEL code	SEG number	STK-Number	UK Org
4050300838663	OSRA2821	8328252	-	-
4050300925745	OSRA2821BLI2	-	-	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4050300838663	2821	Unpacked 1	10 mm x 10 mm x 26 mm	0.00 dm ³	2.34 g
4050300524788	2821	Folding carton box 10	94 mm x 42 mm x 51 mm	0.20 dm ³	23.75 g
4008321094438	2821	Shipping carton box 50	115 mm x 55 mm x 148 mm	0.94 dm ³	152.00 g
4050300925745	2821	Blister 2	48 mm x 13 mm x 70 mm	0.04 dm ³	11.00 g
4008321140371	2821	Shipping carton box 20	81 mm x 105 mm x 137 mm	1.17 dm ³	133.50 g
4052899035447	2821	Unpacked 1	- x - x -		
4052899035454	2821	Folding carton box 450	- x - x -		
4052899035461	2821	Shipping carton box 3600	- x - x -		

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.