

7537

Lamps with metal bases for trucks



Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights

Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Original spare parts



Technical data



Electrical data

Power input	28 / 10 W
Nominal wattage	21/5 W
Nominal voltage	24 V
Power input tolerance	±6 / ±10 %
Test voltage	28.0 V

Light technical data

Luminous flux	440/40 lm
Luminous flux tolerance	±15 / ±20 %

Dimensions & weight



Product line drawing

Base

Length	52.5 mm
Diameter	25.0 mm
Product weight	8.10 g

Lifespan

Lifespan B3	65 / 600 h
Lifespan Tc	600 / 1600 h

Additional product data

Base (standard designation)	BAY15d
-----------------------------	--------

Certificates & standards

Product datasheet

ECE category	P21/5W
--------------	--------

Country specific categorizations

Order reference	7537
-----------------	------

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300838038	OSRA7537	-	4739970	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4050300838038	7537	Unpacked 1	21 mm x 15 mm x 24 mm	0.01 dm ³	12.00 g
4050300524863	7537	Folding carton box 10	145 mm x 54 mm x 52 mm	0.41 dm ³	122.00 g
4008321091109	7537	Shipping carton box 50	145 mm x 65 mm x 273 mm	2.57 dm ³	660.00 g
4050300925943	7537	Blister 2	70 mm x 28 mm x 76 mm	0.15 dm ³	25.00 g
4008321141545	7537	Shipping carton box 20	81 mm x 105 mm x 280 mm	2.38 dm ³	315.25 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.