




Technical data

LGBXH25FNSSNZ1-N

Conventional standard flange type carriage

VISUAL (S)



PRODUCT DEFINITION

Brand	SNR
Series	LGB
Carriage version	X
Carriage Height	H
Size	25
Design type	FN
Sealing	SS - End seals on both sides, inner and side seals
Precision class	N
Preload class	Z1

LGBXH25FNSSNZ1-N

Conventional standard flange type carriage

PRODUCT DEFINITION	
Material	Carbon steel
Special options	N - Standard
Lubrication connection	00 - Conical grease nipple 67°
Lubricant	A - SNR LUB HEAVY DUTY
H	36 mm
W	70 mm
W2	23,5 mm
E	5,8 mm
L - Length	79,7 mm
B - Flange width	57 mm
J	45 mm
MQ	M 8
ih	6,8 mm
I	10,1 mm
L1	57,5 mm
H2	M 6
T1	10,2 mm
N	12,2 mm
T2	9,4 mm
L2	4,65 mm
H3	M 6
Lx	5 mm
Mass	0,57 kg

LGBXH25FNSSNZ1-N

Conventional standard flange type carriage

PRODUCT PERFORMANCE	
C50	20,44 kN
C100	16,22 kN
C0	41,73 kN
Mx	0.447 kN/m
My	0.358 kN/m
Mz	0.358 kN/m