




Technical data

LGBXH30FNSSNZ1-N

Conventional standard flange type carriage

VISUAL (S)



PRODUCT DEFINITION

Brand	SNR
Series	LGB
Carriage version	X
Carriage Height	H
Size	30
Design type	FN
Sealing	SS - End seals on both sides, inner and side seals
Precision class	N
Preload class	Z1

LGBXH30FNSSNZ1-N

Conventional standard flange type carriage

PRODUCT DEFINITION	
Material	Carbon steel
Special options	N - Standard
Lubrication connection	00 - Conical grease nipple 67°
Lubricant	A - SNR LUB HEAVY DUTY
H	42 mm
W	90 mm
W2	31 mm
E	7 mm
L - Length	94,8 mm
B - Flange width	72 mm
J	52 mm
MQ	M 10
ih	8,6 mm
I	12 mm
L1	67,8 mm
H2	M 6
T1	8 mm
N	11,7 mm
T2	5,5 mm
L2	6 mm
H3	M 6
Lx	5 mm
Mass	1,1 kg

LGBXH30FNSSNZ1-N

Conventional standard flange type carriage

PRODUCT PERFORMANCE	
C50	30,24 kN
C100	24 kN
C0	55,5 kN
Mx	0.719 kN/m
My	0.56 kN/m
Mz	0.56 kN/m