


**The Timken Company**

4500 Mt Pleasant St. NW


N. Canton, OH 44720

**Phone:** (234) 262-3000

**E-Mail:** [CustomerCAD@timken.com](mailto:CustomerCAD@timken.com) • **Web site:** [www.timken.com](http://www.timken.com)

## Part Number 6032MB-C3, Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#) | [Factors](#)

### Specifications

<b>Clearance</b>	C3
<b>Bore Size d</b>	160 mm
<b>Features</b>	Open With Brass Cage
<b>Bearing Type</b>	Standard DGBB
<b>Weight</b>	6.230 Kg

### Dimensions

<b>Outside Diameter D</b>	240 mm
<b>Outside Ring Width B</b>	38 mm



**Radius Rs min**

2.1 mm

**Basic Load Ratings****Cr - Dynamic Load Rating**

136600 N

**C0r - Static Load Rating**


135400 N

**Factors****Grease Reference Speed**

3500 rpm

**Oil Reference Speed**

5100 rpm



## METRIC UNITS

Weight 6.23 kg

**TIMKEN®**

**THE TIMKEN COMPANY**  
NORTH CANTON, OHIO USA

**6032MB-C3**  
Deep Groove Ball Bearings (6000, 6200, 6300, 6400)

Dynamic Load Rating	136600	N
Static Load Rating	135400	N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

**FOR DISCUSSION ONLY**